GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Servants – MA&UD Department – Vigilance Report No.67 - Allegations of irregularities in the execution of work "Widening and providing VDF Cement Concrete and construction of Storm Water Drains for Chinna Bazaar-Illisipuram Road of Srikakulam Town executed by the VUDA, Visakhapatnam against Sri G.Syam Sundar, the then Deputy Executive Engineer and 2 others of VUDA (Now VMRDA), Visakhapatnam – Departmental Proceedings under Rule-20 of the A.P. Civil Services (Classification, Control and Appeal) Rules, 1991 - Article of charges framed and Written Statements of defence received - Conduct of Regular Inquiry - Appointment of Sri M. Vinay Kumar, Chief Engineer, VMRDA, Visakhapatnam, as an Inquiring Authority – Orders - Issued.

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (VIG.I) DEPARTMENT

G.O.RT.No. 797 **Dated: 13-08-2025**

1. From the GA(V&E) Department, VR No.67(C.No.904/V&E/E2015), dated 04-11-2015.
2. From VMRDA, Visakhapatnam, Rc.No.14037/3/2018-ADMIN-VMRDA/A1 (549996), dated 04.12.2024.
3. G.O.Rt. No.388,389,391 & 392, MA&UD (Vig.I) Dept., dated: 05.05.2025.

*****

O R D E R:

Whereas, an inquiry under Rule-20 of A.P. Civil Services (CC&A) Rules, 1991 is being held against Sri G.Syam Sundar, the then Deputy Executive Engineer and 2 others of VUDA (Now VMRDA), Visakhapatnam on the allegations of irregularities in the execution of work "Widening and providing VDF Cement Concrete and construction of Storm Water Drains for Chinna Bazaar-Illisipuram Road of Srikakulam Town executed by the VUDA, Visakhapatnam.

2. Whereas, it is considered that an Inquiring Authority should be appointed to inquire into the charges framed against above said officers.

3. Now therefore, in exercise of the powers conferred under sub-rule (2) of Rule-20 of A.P. Civil Services (CC&A) Rules, 1991, the disciplinary authority hereby appoints Sri M. Vinay Kumar, Chief Engineer, VMRDA, Visakhapatnam as an Inquiring Authority to inquire into the charges framed against...i) Sri G.Syam Sundar, the then Deputy Executive Engineer, ii) Sri A.V.Ramana Rao, the then Assistant Engineer, QC cell, VUDA, Visakhapatnam and iii) Smt. D. Vijaya Bharathi, the then Chief Accounts Officer, VUDA, Visakhapatnam.

4. The Inquiry Authority is directed to complete the inquiry as per A.P.C.S.(CC&A) Rules, 1991 and shall submit his report within two (2) months.

5. Copies of the Articles of Charges and Written Statement of Defence/Served copy submitted by the Charged Officers of GVMC., Visakhapatnam are forwarded herewith to the Inquiring Authority.

(P.T.O)

6. The Commissioner, GVMC, Visakhapatnam/the Engineer-In–Chief, P.H., A.P., Tadepalli, shall provide the required remaining material, if any, to the Inquiry Officer.

7. The receipt of the G.O., shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

S SURESH KUMAR
PRINCIPAL SECRETARY TO GOVERNMENT

To
Sri M. Vinay Kumar, Chief Engineer, VMRDA, Visakhapatnam & Inquiring Authority, **through** the Metropolitan Commissioner, VMRDA, Visakhapatnam
The Superintending Engineer-4 (PW Zone-VI & Mechanical), GVMC & Presenting Officer **through** the Metropolitan Commissioner, VMRDA, Visakhapatnam
Sri G.Syam Sundar, the then Deputy Executive Engineer, VUDA, Visakhapatnam **through** the Metropolitan Commissioner, VMRDA, Visakhapatnam
Sri A.V.Ramana Rao, the then Assistant Engineer, QC cell, VUDA, Visakhapatnam **through** the Metropolitan Commissioner, VMRDA, Visakhapatnam.
Smt. D. Vijaya Bharathi, the then Chief Accounts Officer, VUDA, Visakhapatnam **through** the Metropolitan Commissioner, VMRDA, Visakhapatnam.
The Metropolitan Commissioner, VMRDA, Visakhapatnam.
The Engineer-In–Chief, P.H., A.P., Tadepalli.

Copy to:

The Secretary to A.P. Vigilance Commission, A.P. Secretariat, Velagapudi.
Sf/Sc(E.No:2663128)

// FORWARDED ::: BY ORDER //

SECTION OFFICER